



Fuelstar Surveillance Scheme

Manufacturing Licence

Issued to: OPW Sweden AB, Fabriksgatan 3, Box 70, S-73622 Kungsör, Sweden

Products: The KPS Petrol Pipe System™

The list of part numbers covered by this Certificate is shown on pages 2 to 4.

This is to certify that samples of the products defined above have been checked by RINA and found to comply with the requirements of the following:

EN 14125:2013 Thermoplastic and flexible metal pipework for underground installation at petrol filling stations.

The Fuelstar Surveillance Scheme is operated in accordance with Annex A of Institute of Petroleum Performance Specification for Underground Pipework Systems at Petrol Filling Stations, Second Edition, February 2001, ISBN 0 85293 323 1.

Test details are given in relevant RINA Test Certificates.

Duration of validity of this Certificate: Valid until 31st August 2025

NOTE 1: This certificate should only be reviewed or reproduced in full.

NOTE 2: Validity of this certificate is based on passing ongoing Fuelstar testing.

NOTE 3: This certificate remains the property of RINA. RINA reserves the right to withdraw or revise it following written notification to the issuee. Any revision is indicated by a change in certificate number.

Conditions on the validity of this Certificate: The parts that feature exposed metal should be protected against corrosion if directly buried.

Certificate prepared by:

A handwritten signature in black ink, appearing to read 'Maciek Hulme'.

Maciek Hulme
Materials Consultant

Certificate approved by:

A handwritten signature in black ink, appearing to read 'Ben Hickman'.

Ben Hickman
Laboratory Manager

Licence number: 2016-0275-ML27

Dated: 26/07/2024

This certificate should only be reviewed in full
RINA Tech UK Ltd, 1 Springfield Drive, Leatherhead, Surrey KT22 7AJ, UK

Product No:	Size	Component	Application
KP 10-110	110 mm	End cap	PP/VA/FI/VE/VR
KP 10-32	32 mm	End cap	PP/VA/FI/VE/VR
KP 10-63	63 mm	End cap	PP/VA/FI/VE/VR
KP 10-90	90 mm	End cap	PP/VA/FI/VE/VR
KP 110E	110 mm	Version 6 pipe	PP/VA/FI/VE/VR
KP 110EC	110 mm	Conductive pipe	PP/VA/FI/VE/VR
KP 110SC	110 mm	Secondary system	CS2
KP 125SC	125 mm	Secondary pipe, see KP125/110SC	CS2
KP 125/110SC	125/110 mm	Secondary system	PP/VA/FI/VE/VR/CS2
KP 125/110SCEC	125/110 mm	Secondary system	PP/VA/FI/VE/VR/CS2
KP 160EC	160 mm	Conductive pipe	PP/VA/FI/VE/VR
KP 200SC	200 mm	Secondary pipe	CS2
KP 200/160SCEC	200/160 mm	Secondary system	PP/VA/FI/VE/VR/CS2
KP 2-110	110 mm	Welding socket	PP/VA/FI/VE/VR
KP 2-160	160 mm	Welding socket	PP/VA/FI/VE/VR
KP 2-125SC	125 mm	Secondary welding socket	CS2
KP 2-110/90SCA	110/90 mm	Integrated welding socket	PP/VA/FI/VE/VR/CS2
KP 2-125/110SC	125/110 mm	Integrated welding socket	PP/VA/FI/VE/VR/CS2
KP 2-125/110SCA	125/110 mm	Integrated welding socket	PP/VA/FI/VE/VR/CS2
KP 2-160SC	160 mm	Secondary welding socket	CS2
KP 23-110	110 mm	Integrated 90° bend	PP/VA/FI/VE/VR
KP 2-32	32 mm	Welding socket	PP/VA/FI/VE/VR
KP 23-63	63 mm	Integrated 90° bend	PP/VA/FI/VE/VR
KP 23-90	90 mm	Integrated 90° bend	PP/VA/FI/VE/VR
KP 24-110	110 mm	Integrated 45° bend	PP/VA/FI/VE/VR
KP 24-63	63 mm	Integrated 45° bend	PP/VA/FI/VE/VR
KP 24-90	90 mm	Integrated 45° bend	PP/VA/FI/VE/VR
KP 2-54	54 mm	Welding socket	PP/VA/FI/VE/VR
KP 2-63	63 mm	Welding socket	PP/VA/FI/VE/VR
KP 2-75SC	75 mm	Secondary pipe, see KP73/63SC	CS2
KP 2-75/63SC	75/63 mm	Integrated welding socket	PP/VA/FI/VE/VR/CS2
KP 2-75/63SCA	75/63 mm	Integrated welding socket	PP/VA/FI/VE/VR/CS2
KP 28-110	110 mm	Weldable tee	PP/VA/FI/VE/VR
KP 28-63	63 mm	Weldable tee	PP/VA/FI/VE/VR
KP 28-90	90 mm	Weldable tee	PP/VA/FI/VE/VR
KP 2-90	90 mm	Welding socket	PP/VA/FI/VE/VR
KP 29-90/63	90/63 mm	Weldable reduction	PP/VA/FI/VE/VR
KP 3-110	110 mm	90° bend	PP/VA/FI/VE/VR
KP 3-110F	110 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-110FC	110 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-110FCL	110 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-110FL	110 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-125/110SC	125/110 mm	90° formed bend	PP/VA/FI/VE/VR/CS2
KP 3-110/90SCEC	110/90 mm	90° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 3-125/110SCEC	125/110 mm	90° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 3-54F	54 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-54FC	54 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-54FCL	54 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-54FL	54 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-54FLL	54 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-63	63 mm	90° bend	PP/VA/FI/VE/VR
KP 3-63F	63 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-63FC	63 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-63FCL	63 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-63FL	63 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-63FLL	63 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-75/63SC	75/63 mm	90° formed bend	PP/VA/FI/VE/VR/CS2
KP 3-75/63SCEC	75/63 mm	90° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 3-90	90 mm	90° bend	PP/VA/FI/VE/VR
KP 3-90F	90 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-90FC	90 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-90FCL	90 mm	90° formed bend Conductive	PP/VA/FI/VE/VR
KP 3-90FL	90 mm	90° formed bend	PP/VA/FI/VE/VR
KP 3-160FC	160 mm	90° formed bend Conductive	PP/VA/FI/VE/VR

Product No:	Size	Component	Application
KP 3-200SC	200 mm	90° formed bend secondary	CS2
KP 3-200/160SCEC	200/160 mm	90° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 4-110	110 mm	45° bend	PP/VA/FI/VE/VR
KP 4-110FC	110 mm	45° formed bend Conductive	PP/VA/FI/VE/VR
KP 4-125/110SC	125/110 mm	45° formed bend	PP/VA/FI/VE/VR/CS2
KP 4-110/90SCEC	110/90 mm	45° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 4-125/110SCEC	125/110 mm	45° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 4-54F	54 mm	45° formed bend	PP/VA/FI/VE/VR
KP 4-54FC	54 mm	45° formed bend Conductive	PP/VA/FI/VE/VR
KP 4-63	63 mm	45° bend	PP/VA/FI/VE/VR
KP 4-63F	63 mm	45° formed bend	PP/VA/FI/VE/VR
KP 4-63FC	63 mm	45° formed bend Conductive	PP/VA/FI/VE/VR
KP 4-75/63SC	75/63 mm	45° formed bend	PP/VA/FI/VE/VR/CS2
KP 4-75/63SCEC	75/63 mm	45° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 4-90	90 mm	45° bend	PP/VA/FI/VE/VR
KP 4-90F	90 mm	45° formed bend	PP/VA/FI/VE/VR
KP 4-90FC	90 mm	45° formed bend Conductive	PP/VA/FI/VE/VR
KP 4-160FC	160 mm	45° formed bend Conductive	PP/VA/FI/VE/VR
KP 4-200SC	200 mm	45° formed bend secondary	CS2
KP 4-200/160SCEC	200/160 mm	45° formed bend Conductive	PP/VA/FI/VE/VR/CS2
KP 5-110	110 mm	Stub flange	PP/VA/FI/VE/VR
KP 54E	54 mm	Version 6 pipe	PP/VA/FI/VE/VR
KP 54EC	54 mm	Conductive pipe	PP/VA/FI/VE/VR
KP 5-54	55 mm	Stub flange	PP/VA/FI/VE/VR
KP 5-63	63 mm	Stub flange	PP/VA/FI/VE/VR
KP 5-90	90 mm	Stub flange	PP/VA/FI/VE/VR
KP 6-110	110 mm	Separate flange	PP/VA/FI/VE/VR
KP 63E	63 mm	Version 6 pipe	PP/VA/FI/VE/VR
KP 63EC	63 mm	Conductive pipe	PP/VA/FI/VE/VR
KP 6-54	54 mm	Separate flange	PP/VA/FI/VE/VR
KP 6-63	63 mm	Separate flange	PP/VA/FI/VE/VR
KP 6-90	110 mm	Separate flange	PP/VA/FI/VE/VR
KP 7-110/90	110/90 mm	Gasket	PP/VA/FI/VE/VR
KP 75SC	75 mm	Secondary pipe, see KP75/63SC	CS2
KP 75/63SC	75/63 mm	Secondary system	PP/VA/FI/VE/VR/CS2
KP 75/63SCEC	75/63 mm	Secondary system	PP/VA/FI/VE/VR/CS2
KP 7-63/54	63/54 mm	Gasket	PP/VA/FI/VE/VR
KP 8-110F	110 mm	Tee	PP/VA/FI/VE/VR
KP 8-110FL	110 mm	Tee formed Long	PP/VA/FI/VE/VR
KP 8-54F	54 mm	Tee formed	PP/VA/FI/VE/VR
KP 8-54FC	54 mm	Tee formed Conductive	PP/VA/FI/VE/VR
KP 8-54FCL	54 mm	Tee formed Long	PP/VA/FI/VE/VR
KP 8-54FL	54 mm	Tee formed Long	PP/VA/FI/VE/VR
KP 8-63/32	63/32 mm	Reduced Tee	PP/VA/FI/VE/VR
KP 8-63F	63 mm	Tee	PP/VA/FI/VE/VR
KP 8-63FC	63 mm	Tee formed Conductive	PP/VA/FI/VE/VR
KP 8-63FCL	63 mm	Tee formed Conductive Long	PP/VA/FI/VE/VR
KP 8-63FL	63 mm	Tee formed Long	PP/VA/FI/VE/VR
KP 8-63FR	63 mm	Tee	PP/VA/FI/VE/VR
KP 8-75/63SC	75/63 mm	Integrated tee	PP/VA/FI/VE/VR/CS2
KP 8-75/63SC-F	75/63 mm	Integrated tee	PP/VA/FI/VE/VR/CS2
KP 8-75/63SCEC-L	75/63 mm	Integrated tee	PP/VA/FI/VE/VR/CS2
KP 8-200/160SCEC	200/160 mm	Integrated tee (primary only)	PP/VA/FI/VE/VR
KP 8-90/63	90/63 mm	Reduced tee	PP/VA/FI/VE/VR
KP 8-90FC	90 mm	Tee formed Conductive	PP/VA/FI/VE/VR
KP 8-90FCL	90 mm	Tee formed Conductive Long	PP/VA/FI/VE/VR
KP 90E	90 mm	Version 6 pipe	PP/VA/FI/VE/VR
KP 90EC	90 mm	Conductive pipe	PP/VA/FI/VE/VR
KP 9-110/63	110/63 mm	Reducer	PP/VA/FI/VE/VR
KP 9-110/90	110/90 mm	Reducer	PP/VA/FI/VE/VR
KP 9-125/75SC	125/75 mm	Reducer	CS2
KP 9-160/125SC	160/125 mm	Reducer	CS2
KP 9-63/54	63/54 mm	Reducer	PP/VA/FI/VE/VR
KP 9-90/63	90/63 mm	Reducer	PP/VA/FI/VE/VR

Product No:	Size	Component	Application
KP C11-110	110 mm	Transition end coupling	PP/VA/FI/VE/VR
KP C11-54	54 mm	Transition end coupling	PP/VA/FI/VE/VR
KP C11-63	63 mm	Transition end coupling	PP/VA/FI/VE/VR
KP C11-90	90 mm	Transition end coupling	PP/VA/FI/VE/VR
KP CC-110	110 mm	Conductor	PP/VA/FI/VE/VR
KP CC-54	54 mm	Conductor	PP/VA/FI/VE/VR
KP CC-63	63 mm	Conductor	PP/VA/FI/VE/VR
KP CC-90	90 mm	Conductor	PP/VA/FI/VE/VR
KP CC-160	160 mm	Conductor	PP/VA/FI/VE/VR
KP T125/110SC	125/110 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T125/110SC-L	125/110 mm	Termination fitting	PP/VA/FI/VE/VR/CS2
KP T110/90SC2A	110/90 mm	Termination fitting	PP/VA/FI/VE/VR/CS2
KP T125/110SC2A	125/110 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T200/160 SCA	200/160 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T25-10	25 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T25-13	25 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T25-15	25 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T25-4	25 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T40-10	54 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T40-13	54 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T50-12	63 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T50-15	63 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T50-20	63 mm	Flexible steel hose	PP/VA/FI/VE/VR
KP T75/63SC	75/63 mm	Termination fitting	PP/VA/FI/VE/VR/CS2
KP W110	110 mm	Mechanical connection	PP/VA/FI/VE/VR
KP W54	54 mm	Mechanical connection	PP/VA/FI/VE/VR
KP W6-110	110 mm	Threaded flange	PP/VA/FI/VE/VR
KP W63	63 mm	Mechanical connection	PP/VA/FI/VE/VR
KP W6-54	54 mm	Threaded flange	PP/VA/FI/VE/VR
KP W6-63	63 mm	Threaded flange	PP/VA/FI/VE/VR
KP W6-90	90 mm	Threaded flange	PP/VA/FI/VE/VR
KP W90	90 mm	Mechanical connection	PP/VA/FI/VE/VR
KP 2-75/63SCA	75/63 mm	Integrated welding socket	PP/VA/VE/VR/FI/CS2
KP 2-125/110SCA	110/125 mm	Integrated welding socket	PP/VA/VE/VR/FI/CS2
KP 2-125/110SC2A	110/125 mm	Integrated welding socket	CS2
KP T75-63B	75/63 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T75-63B-L	75/63 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T75-63SC2A	75/63 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T75-63SC2A-L	75/63 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T75-63SC2B	75/63 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP T75-63SC2B-L	75/63 mm	Termination fitting	PP/VA/VE/VR/FI/CS2
KP TM75-63SC2A	75/63 mm	Entry seal and termination fitting	PP/VA/VE/VR/FI/CS2
KP TM75-63SC2A-L	75/63 mm	Entry seal and termination fitting	PP/VA/VE/VR/FI/CS2
KP TM75-63SC2B	75/63 mm	Entry seal and termination fitting	PP/VA/VE/VR/FI/CS2
KP TM75-63SC2B-L	75/63 mm	Entry seal and termination fitting	PP/VA/VE/VR/FI/CS2
KP TM110/90SC2A	110/90 mm	Entry seal and termination fitting	PP/VA/VE/VR/FI/CS2
KP TM125/110SC2A	125/110 mm	Entry seal and termination fitting	PP/VA/VE/VR/FI/CS2